

HDB'S JUNE 2026 BTO SALES EXERCISE



LAKEVIEW
CASCADIA

BTOgether



IMPORTANT NOTES

HDB precincts are planned to serve the evolving needs of the community. There are spaces catered for future inclusion of amenities/ facilities (such as preschools, eldercare facilities, education centres, residents' network centres, day activity centres, etc), commercial facilities (such as shops and eating houses), mechanical and electrical rooms, and such other facilities depending on the prevailing needs, even after residents have moved into the precincts. These spaces could be in the void decks, common property, car parks, or stand-alone community buildings.

In addition, housing projects may be located near roads, railways, airbases, construction sites, and land used for non-residential purposes including but not limited to industrial, commercial or utility uses. Hence, residents may experience related disamenities including but not limited to higher noise levels and smell nuisance. We have provided information on the surrounding land use, proposed facilities and their locations in the maps and plans of individual projects, where feasible. All developments and facilities shown (including but not limited to their locations, form, massing and/or building heights) are subject to change and planning approval. The information provided is based on the current planning intent of the relevant authorities and is subject to change from time to time.

This brochure may contain forward-looking statements regarding future developments, projections, estimates, and other statements about HDB's plans, goals, and expectations on the development. Forward-looking statements are not guarantees of future results but are inherently subject to uncertainty, and actual results could differ materially from those anticipated in these statements.

HDB does not undertake any obligation to update or revise any forward-looking statements, whether as a result of new information, future events, or otherwise. The information provided in this brochure is based on current expectations and beliefs, and there can be no assurance that the results and events contemplated by the forward-looking statements will indeed occur.

Prospective buyers are cautioned not to place reliance on these forward-looking statements. Any reliance on the forward-looking statements is at the sole risk and discretion of the recipient, and HDB disclaims any obligation to update or revise such statements to reflect changes in expectations or events, conditions, or circumstances on which any such statements are based. HDB shall not be responsible in any way for any damage or loss suffered by any person whether directly or indirectly as a result of reliance on such forward-looking statements.





LAKEVIEW CASCADIA

Bounded by Upper Thomson Road, Lakeview Cascadia comprises 5 residential blocks. The project ranges from 18 to 40 storeys in height, with 1,221 units of 2-room Flexi and 4-room flats. These flats will be offered as Prime flats under the new flat classification framework (<https://www.hdb.gov.sg/buying-a-flat/bto-sbf-and-open-booking-of-flats/finding-a-new-flat/standard-plus-and-prime-housing-framework>). 2 of these blocks will include a total of 50 rental flats.



Artist's impression

Lakeview Cascadia derives its name from the project's cascading architectural form, designed to complement the surrounding landscape and the nearby MacRitchie Reservoir. Residents can enjoy recreational facilities such as children's playgrounds and fitness stations for adults and seniors. A residents' network centre will provide space for community activities and neighbourly interaction. The Multi-Storey Car Park (MSCP) features commercial amenities such as a minimart, shops, an eating house, and a preschool. Atop the MSCP, a roof garden offers an adult fitness station, a hardcourt, and a community garden to encourage social bonding.

For a detailed layout of the facilities provided at Lakeview Cascadia, please refer to the site plan. Facilities in this project will be accessible to the public.

BISHAN



The information contained herein is subject to change at any time without notice and cannot form part of an offer or contract. While reasonable care has been taken in providing this information, HDB shall not be responsible in any way for any damage or loss suffered by any person whether directly or indirectly as a result of reliance on the said information or as a result of any error or omission therein.

ECO-FRIENDLY FEATURES

To encourage green and sustainable living, Lakeview Cascadia will have several eco-friendly features such as:

- Separate chutes for recyclable waste
- Regenerative lifts to reduce energy consumption
- Bicycle stands to encourage cycling as an environmentally-friendly form of transport
- Parking spaces to facilitate future provision of electric vehicle charging stations
- Use of sustainable products in the project
- Active, Beautiful, Clean Waters design features to clean rainwater and beautify the landscapes



**SEPARATE CHUTES
FOR RECYCLABLE
WASTE**



**BICYCLE
STANDS**



**ABC WATERS DESIGN
FEATURES**

SMART SOLUTIONS

Lakeview Cascadia will come with the following smart solutions to reduce energy usage, and contribute to a safer and more sustainable living environment:

- Smart-Enabled Homes with provisions to facilitate adoption of smart home solutions
- Smart Lighting in common areas to reduce energy usage



EMBRACING WALK CYCLE RIDE

With an increased focus on active and healthy living, the housing precinct is designed with well-connected pathways to make it easier for residents to walk and cycle more as part of their daily commutes to the surrounding amenities and public transport:

- Convenient access and walking distance to public transport
- Safe, pleasant, and welcoming streets for walking and cycling
- Sheltered linkways and barrier free accessibility to facilities
- Wayfinding and signages for orientation and navigation

Residents can access bus services as well as Marymount MRT Station on the Circle Line and Upper Thomson MRT Station on the Thomson-East Coast Line, providing convenient connections to nearby towns. Learn more about transport connectivity in this precinct using MyTransport.sg app at <https://www.lta.gov.sg/content/dam/ltgov/Home/PDF/MTM.pdf>.

FINISHES AND FITTINGS

More than just a well-designed and functional interior, these flats will come with the following finishes and fittings.

2-ROOM FLEXI Available either on a 99-year lease or short-lease	4-ROOM
• Floor tiles in the: • Bathroom • Household shelter • Kitchen • Wall tiles in the: • Bathroom • Kitchen • Sliding partition/ door for the bedroom (please refer to the floor plans under Layout Ideas) • Bathroom door • Water closet suite in the bathroom • Grab bars (for 2-room Flexi flats on short-leases)	• Floor tiles in the: • Bathrooms • Household shelter • Kitchen and service yard • Wall tiles in the: • Bathrooms • Kitchen • Water closet suite in the bathrooms

OPTIONAL COMPONENT SCHEME

The Optional Component Scheme (OCS) is an opt-in scheme that provides convenience for our buyers. If you opt-in for OCS, the cost of the optional components will be added to the price of the flat. Please refer to the attached OCS leaflet for details.

LAYOUT IDEAS

WITHOUT LIVING/ DINING/ BEDROOM FLOOR FINISHES (DEFAULT)

2-ROOM FLEXI (TYPE 1) FLOOR PLAN (With Suggested Furniture layout)

Approx. Floor Area 40sqm

Inclusive of Internal Floor Area of 38sqm and
Air-Con Ledge



WITH LIVING/ DINING/ BEDROOM FLOOR FINISHES

2-ROOM FLEXI (TYPE 1) FLOOR PLAN (With Suggested Furniture layout)

Approx. Floor Area 40sqm

Inclusive of Internal Floor Area of 38sqm and
Air-Con Ledge



The coloured floor plan is not intended to demarcate the boundary of the flat

WITHOUT LIVING/ DINING/ BEDROOM FLOOR FINISHES (DEFAULT)

2-ROOM FLEXI (TYPE 2) FLOOR PLAN (With Suggested Furniture layout)

Approx. Floor Area 49sqm

Inclusive of Internal Floor Area of 46sqm and
Air-Con Ledge



To meet different lifestyle needs,
the 46sqm 2-room Flexi flats come
with a flexible space which flat
buyers can use according to their
preference. This flexible space can
be used for dining, a study or to
place an extra bed.

WITH LIVING/ DINING/ BEDROOM FLOOR FINISHES

2-ROOM FLEXI (TYPE 2) FLOOR PLAN (With Suggested Furniture layout)

Approx. Floor Area 49sqm

Inclusive of Internal Floor Area of 46sqm and
Air-Con Ledge




The coloured floor plan is not intended to demarcate the boundary of the flat

LAYOUT IDEAS

4-ROOM FLOOR PLAN (With Suggested Furniture layout)

Approx. Floor Area 90sqm

Inclusive of Internal Floor Area of 86sqm and
Air-Con Ledge





APPLICANTS ARE ENCOURAGED TO VISIT THE PLACE BEFORE BOOKING A FLAT.



Notes:

- All developments and facilities shown (including but not limited to their locations, form, massing and/or building heights) are subject to change and planning approval. The implementation of such proposed developments and facilities is subject to review from time to time by the relevant authorities.
- The developments and facilities shown (whether existing or proposed) may:
 - Include other ancillary uses allowed under URA's prevailing Development Control guidelines. Some examples include:
 - Places of Worship (e.g. Chinese Temple or Church) may include columbarium,
 - Community Centres/Clubs may include preschools, and schools may be upgraded or built with higher-rise blocks, etc.
 - Be used as temporary construction sites by the relevant authorities.
- The use of the void deck in any apartment block, common property (such as precinct pavilion), car park or stand-alone community building for future amenities/facilities (such as preschools, eldercare facilities, education centres, residents' network centres and day activity centres), commercial facilities (such as shops and eating houses), mechanical and electrical rooms and such other facilities is subject to review from time to time.
- The residential blocks may be completed ahead of the proposed precinct facilities, so that flat buyers are able to collect the keys to their new homes earlier.
- Unless otherwise indicated in the sales brochure, all facilities within the project, including but not limited to roof gardens and sky terraces (if any), will be open to the public.
- To support the development of key infrastructure, temporary worker dormitories may be set up near residential areas by relevant authorities.

LAKEVIEW CASCADIA

FLAT TYPE

- 2 ROOM FLEXI (TYPE 1)
- 2 ROOM FLEXI (TYPE 2)
- 4 ROOM
- RENTAL FLAT FOR 2 ROOM FLEXI (TYPE 2) FROM 2ND TO 18TH STOREY FOR BLOCK 326A / 2ND TO 9TH STOREY FOR BLOCK 327A

PLAY FACILITIES

- CHILDREN PLAYGROUND
- ADULT FITNESS STATION
- ELDERLY FITNESS STATION
- HARDCOURT

COMMUNAL AREAS

- PRECINCT PAVILION
- DROP-OFF PORCH
- SPACE RESERVED FOR FUTURE COMMUNITY USE

SOCIAL AMENITIES

- PRESCHOOL AT 1ST STOREY
- RESIDENTS' NETWORK CENTRE AT 1ST STOREY
- FUTURE AMENITIES / FACILITIES AT 1ST STOREY

COMMERCIAL AMENITIES

- EATING HOUSE AT 1ST STOREY
- SHOPS AT 1ST STOREY
- MINIMART AT 1ST STOREY

OTHERS



- LINKWAY
- S : SHELTER
- LB: LINKBRIDGE
- SERVICE
- ESS : ELECTRICAL SUB-STATION AT 1ST STOREY
- UC : UTILITY CENTRE AT 1ST STOREY
- SERVICE BAY
- AIR-WELL
- CENTRALISED REFUSE CHUTE / CHUTE FOR RECYCLABLE WASTE
- ENTRANCE / EXIT FOR MULTI-STOREY CARPARK

BLK 325
1st Storey Floor Plan


	Number of Storeys	Rental Flats	Home Ownership Flats			TOTAL
			2-Room Flexi		4-Room	
		2-Room	Type 1	Type 2		
325A	24/35	-	23	46	159	228
326A	24/40	34	78	90	195	397
326B	35	-	-	136	204	340
327A	18	16	-	69	85	170
328A	18	-	17	17	102	136
TOTAL		50	118	358	745	1271

The information contained herein is subject to change at any time without notice and cannot form part of an offer or contract. While reasonable care has been taken in providing this information, HDB shall not be responsible in any way for any damage or loss suffered by any person whether directly or indirectly as a result of reliance on the said information or as a result of any error or omission therein.

UNIT DISTRIBUTION




BLOCK 325A




BLOCK 326A

UNIT DISTRIBUTION


2 ROOM FLEXI (TYPE 2)

BLOCK 326B



BLOCK 327A

UNIT DISTRIBUTION



	379	381		383		385		387	389		391	393
#18	4 ROOM	4 ROOM		2 ROOM FLEXI (TYPE 2)		2 ROOM FLEXI (TYPE 1)		4 ROOM	4 ROOM		4 ROOM	4 ROOM
#17	4 ROOM	4 ROOM		2 ROOM FLEXI (TYPE 2)		2 ROOM FLEXI (TYPE 1)		4 ROOM	4 ROOM		4 ROOM	4 ROOM
#16	4 ROOM	4 ROOM		2 ROOM FLEXI (TYPE 2)		2 ROOM FLEXI (TYPE 1)		4 ROOM	4 ROOM		4 ROOM	4 ROOM
#15	4 ROOM	4 ROOM		2 ROOM FLEXI (TYPE 2)		2 ROOM FLEXI (TYPE 1)		4 ROOM	4 ROOM		4 ROOM	4 ROOM
#14	4 ROOM	4 ROOM		2 ROOM FLEXI (TYPE 2)		2 ROOM FLEXI (TYPE 1)		4 ROOM	4 ROOM		4 ROOM	4 ROOM
#13	4 ROOM	4 ROOM		2 ROOM FLEXI (TYPE 2)		2 ROOM FLEXI (TYPE 1)		4 ROOM	4 ROOM		4 ROOM	4 ROOM
#12	4 ROOM	4 ROOM		2 ROOM FLEXI (TYPE 2)		2 ROOM FLEXI (TYPE 1)		4 ROOM	4 ROOM		4 ROOM	4 ROOM
#11	4 ROOM	4 ROOM		2 ROOM FLEXI (TYPE 2)		2 ROOM FLEXI (TYPE 1)		4 ROOM	4 ROOM		4 ROOM	4 ROOM
#10	4 ROOM	4 ROOM		2 ROOM FLEXI (TYPE 2)		2 ROOM FLEXI (TYPE 1)		4 ROOM	4 ROOM		4 ROOM	4 ROOM
#09	4 ROOM	4 ROOM		2 ROOM FLEXI (TYPE 2)		2 ROOM FLEXI (TYPE 1)		4 ROOM	4 ROOM		4 ROOM	4 ROOM
#08	4 ROOM	4 ROOM		2 ROOM FLEXI (TYPE 2)		2 ROOM FLEXI (TYPE 1)		4 ROOM	4 ROOM		4 ROOM	4 ROOM
#07	4 ROOM	4 ROOM		2 ROOM FLEXI (TYPE 2)		2 ROOM FLEXI (TYPE 1)		4 ROOM	4 ROOM		4 ROOM	4 ROOM
#06	4 ROOM	4 ROOM		2 ROOM FLEXI (TYPE 2)		2 ROOM FLEXI (TYPE 1)		4 ROOM	4 ROOM		4 ROOM	4 ROOM
#05	4 ROOM	4 ROOM		2 ROOM FLEXI (TYPE 2)		2 ROOM FLEXI (TYPE 1)		4 ROOM	4 ROOM		4 ROOM	4 ROOM
#04	4 ROOM	4 ROOM		2 ROOM FLEXI (TYPE 2)		2 ROOM FLEXI (TYPE 1)		4 ROOM	4 ROOM		4 ROOM	4 ROOM
#03	4 ROOM	4 ROOM		2 ROOM FLEXI (TYPE 2)		2 ROOM FLEXI (TYPE 1)		4 ROOM	4 ROOM		4 ROOM	4 ROOM
#02	4 ROOM	4 ROOM		2 ROOM FLEXI (TYPE 2)		2 ROOM FLEXI (TYPE 1)		4 ROOM	4 ROOM		4 ROOM	4 ROOM
#01												

BLOCK 328A



BLOCK 325A | 2ND STOREY PLAN

FOR 2-ROOM FLEXI (TYPE 1) FLATS, THE NUMBER OF PANELS FOR THE SLIDING PARTITION BETWEEN THE BEDROOM AND LIVING ROOM WILL DIFFER DEPENDING ON THE SELECTION OF THE OPTIONAL COMPONENT SCHEME (OCS), WHERE APPLICABLE
UNITS AT AND ABOVE 11TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL AND BUILT STRUCTURES OF BLOCK 325

WINDOW LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)

UNLESS OTHERWISE INDICATED,
ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS

SCALE 0 2 4 6 8 10 METRES

THE COLOURED FLOOR PLAN IS NOT INTENDED TO
DEMARCATTE THE BOUNDARY OF THE FLAT



BLOCK 325A | 3RD STOREY PLAN

FOR 2-ROOM FLEXI (TYPE 1) FLATS, THE NUMBER OF PANELS FOR THE SLIDING PARTITION BETWEEN THE BEDROOM AND LIVING ROOM WILL DIFFER DEPENDING ON THE SELECTION OF THE OPTIONAL COMPONENT SCHEME (OCS), WHERE APPLICABLE
UNITS AT AND ABOVE 11TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL AND BUILT STRUCTURES OF BLOCK 325

WINDOW LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)

UNLESS OTHERWISE INDICATED,
ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS

SCALE 0 2 4 6 8 10 METRES

THE COLOURED FLOOR PLAN IS NOT INTENDED TO
DEMARCATTE THE BOUNDARY OF THE FLAT



THE COLOURED FLOOR PLAN IS NOT INTENDED TO
DEMARCATTE THE BOUNDARY OF THE FLAT



BLOCK 325A | 25TH STOREY PLAN

UNITS AT AND ABOVE 11TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL AND BUILT STRUCTURES OF BLOCK 325

WINDOW LEGEND: W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS	SCALE 0 2 4 6 8 10 METRES	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATÉ THE BOUNDARY OF THE FLAT
---	--	----------------------------------	--



BLOCK 325A | 26TH TO 35TH STOREY PLAN

UNITS AT AND ABOVE 11TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL AND BUILT STRUCTURES OF BLOCK 325

WINDOW LEGEND: W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS	SCALE 0 2 4 6 8 10 METRES	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATATE THE BOUNDARY OF THE FLAT
---	--	----------------------------------	--



BLOCK 326A | 2ND STOREY PLAN

FOR 2-ROOM FLEXI (TYPE 1) FLATS, THE NUMBER OF PANELS FOR THE SLIDING PARTITION BETWEEN THE BEDROOM AND LIVING ROOM WILL DIFFER DEPENDING ON THE SELECTION OF THE OPTIONAL COMPONENT SCHEME (OCS), WHERE APPLICABLE

WINDOW LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)

UNLESS OTHERWISE INDICATED,
ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS

SCALE 0 2 4 6 8 10 METRES

THE COLOURED FLOOR PLAN IS NOT INTENDED TO
DEMARCATTE THE BOUNDARY OF THE FLAT



BLOCK 326A | 3RD STOREY PLAN

FOR 2-ROOM FLEXI (TYPE 1) FLATS, THE NUMBER OF PANELS FOR THE SLIDING PARTITION BETWEEN THE BEDROOM AND LIVING ROOM WILL DIFFER DEPENDING ON THE SELECTION OF THE OPTIONAL COMPONENT SCHEME (OCS), WHERE APPLICABLE

WINDOW LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)

UNLESS OTHERWISE INDICATED,
ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS

SCALE 0 2 4 6 8 10 METRES

THE COLOURED FLOOR PLAN IS NOT INTENDED TO
DEMARCATÉ THE BOUNDARY OF THE FLAT



BLOCK 326A | 4TH TO 18TH STOREY PLAN

FOR 2-ROOM FLEXI (TYPE 1) FLATS, THE NUMBER OF PANELS FOR THE SLIDING PARTITION BETWEEN THE BEDROOM AND LIVING ROOM WILL DIFFER DEPENDING ON THE SELECTION OF THE OPTIONAL COMPONENT SCHEME (OCS), WHERE APPLICABLE

WINDOW LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)

UNLESS OTHERWISE INDICATED,
ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS

SCALE 0 2 4 6 8 10 METRES

THE COLOURED FLOOR PLAN IS NOT INTENDED TO
DEMARCAT THE BOUNDARY OF THE FLAT



BLOCK 326A | 19TH TO 24TH STOREY PLAN

FOR 2-ROOM FLEXI (TYPE 1) FLATS, THE NUMBER OF PANELS FOR THE SLIDING PARTITION BETWEEN THE BEDROOM AND LIVING ROOM WILL DIFFER DEPENDING ON THE SELECTION OF THE OPTIONAL COMPONENT SCHEME (OCS), WHERE APPLICABLE

WINDOW LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)

UNLESS OTHERWISE INDICATED,
ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS

SCALE 0 2 4 6 8 10 METRES

THE COLOURED FLOOR PLAN IS NOT INTENDED TO
DEMARCATTE THE BOUNDARY OF THE FLAT



BLOCK 326A | 25TH STOREY PLAN

FOR 2-ROOM FLEXI (TYPE 1) FLATS, THE NUMBER OF PANELS FOR THE SLIDING PARTITION BETWEEN THE BEDROOM AND LIVING ROOM WILL DIFFER DEPENDING ON THE SELECTION OF THE OPTIONAL COMPONENT SCHEME (OCS), WHERE APPLICABLE

WINDOW LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)

UNLESS OTHERWISE INDICATED,
ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS

SCALE 0 2 4 6 8 10 METRES

THE COLOURED FLOOR PLAN IS NOT INTENDED TO
DEMARCATTE THE BOUNDARY OF THE FLAT



BLOCK 326A | 26TH TO 40TH STOREY PLAN

FOR 2-ROOM FLEXI (TYPE 1) FLATS, THE NUMBER OF PANELS FOR THE SLIDING PARTITION BETWEEN THE BEDROOM AND LIVING ROOM WILL DIFFER DEPENDING ON THE SELECTION OF THE OPTIONAL COMPONENT SCHEME (OCS), WHERE APPLICABLE

WINDOW LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)

UNLESS OTHERWISE INDICATED,
ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS

SCALE 0 2 4 6 8 10 METRES

THE COLOURED FLOOR PLAN IS NOT INTENDED TO
DEMARCATÉ THE BOUNDARY OF THE FLAT



BLOCK 326B | 2ND STOREY PLAN

UNITS AT AND ABOVE 11TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL AND BUILT STRUCTURES OF BLOCK 325

WINDOW LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)

UNLESS OTHERWISE INDICATED,
ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS

SCALE 0 2 4 6 8 10 METRES

THE COLOURED FLOOR PLAN IS NOT INTENDED TO
DEMARCATTE THE BOUNDARY OF THE FLAT



BLOCK 326B | 3RD STOREY PLAN

UNITS AT AND ABOVE 11TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL AND BUILT STRUCTURES OF BLOCK 325

WINDOW LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)

UNLESS OTHERWISE INDICATED,
ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS

SCALE 0 2 4 6 8 10 METRES

THE COLOURED FLOOR PLAN IS NOT INTENDED TO
DEMARCATÉ THE BOUNDARY OF THE FLAT



BLOCK 326B | 4TH TO 35TH STOREY PLAN

UNITS AT AND ABOVE 11TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL AND BUILT STRUCTURES OF BLOCK 325

WINDOW LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)

UNLESS OTHERWISE INDICATED,
ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS

SCALE 0 2 4 6 8 10 METRES

THE COLOURED FLOOR PLAN IS NOT INTENDED TO
DEMARCATTE THE BOUNDARY OF THE FLAT



BLOCK 327A | 2ND STOREY PLAN

UNITS AT AND ABOVE 11TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL AND BUILT STRUCTURES OF BLOCK 325

WINDOW LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)

UNLESS OTHERWISE INDICATED,
ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS

SCALE 0 2 4 6 8 10 METRES

THE COLOURED FLOOR PLAN IS NOT INTENDED TO
DEMARCATTE THE BOUNDARY OF THE FLAT



BLOCK 327A | 3RD STOREY PLAN

UNITS AT AND ABOVE 11TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL AND BUILT STRUCTURES OF BLOCK 325

WINDOW LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)

UNLESS OTHERWISE INDICATED,
ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS

SCALE 0 2 4 6 8 10 METRES

THE COLOURED FLOOR PLAN IS NOT INTENDED TO
DEMARCATTE THE BOUNDARY OF THE FLAT



BLOCK 327A | 4TH TO 9TH STOREY PLAN

UNITS AT AND ABOVE 11TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL AND BUILT STRUCTURES OF BLOCK 325

WINDOW LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)

UNLESS OTHERWISE INDICATED,
ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS

SCALE 0 2 4 6 8 10 METRES

THE COLOURED FLOOR PLAN IS NOT INTENDED TO
DEMARCATTE THE BOUNDARY OF THE FLAT



BLOCK 327A | 10TH TO 18TH STOREY PLAN

UNITS AT AND ABOVE 11TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL AND BUILT STRUCTURES OF BLOCK 325

WINDOW LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)

UNLESS OTHERWISE INDICATED,
ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS

SCALE 0 2 4 6 8 10 METRES

THE COLOURED FLOOR PLAN IS NOT INTENDED TO
DEMARCAT THE BOUNDARY OF THE FLAT



BLOCK 328A | 2ND STOREY PLAN

FOR 2-ROOM FLEXI (TYPE 1) FLATS, THE NUMBER OF PANELS FOR THE SLIDING PARTITION BETWEEN THE BEDROOM AND LIVING ROOM WILL DIFFER DEPENDING ON THE SELECTION OF THE OPTIONAL COMPONENT SCHEME (OCS), WHERE APPLICABLE

WINDOW LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)

UNLESS OTHERWISE INDICATED,
ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS

SCALE 0 2 4 6 8 10 METRES

THE COLOURED FLOOR PLAN IS NOT INTENDED TO
DEMARCATTE THE BOUNDARY OF THE FLAT



BLOCK 328A | 3RD STOREY PLAN

FOR 2-ROOM FLEXI (TYPE 1) FLATS, THE NUMBER OF PANELS FOR THE SLIDING PARTITION BETWEEN THE BEDROOM AND LIVING ROOM WILL DIFFER DEPENDING ON THE SELECTION OF THE OPTIONAL COMPONENT SCHEME (OCS), WHERE APPLICABLE.

WINDOW LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)

UNLESS OTHERWISE INDICATED,
ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS

SCALE 0 2 4 6 8 10 METRES

THE COLOURED FLOOR PLAN IS NOT INTENDED TO
DEMARCATÉ THE BOUNDARY OF THE FLAT



BLOCK 328A | 4TH TO 18TH STOREY PLAN

FOR 2-ROOM FLEXI (TYPE 1) FLATS, THE NUMBER OF PANELS FOR THE SLIDING PARTITION BETWEEN THE BEDROOM AND LIVING ROOM WILL DIFFER DEPENDING ON THE SELECTION OF THE OPTIONAL COMPONENT SCHEME (OCS), WHERE APPLICABLE

WINDOW LEGEND:

W1 - THREE QUARTER HEIGHT WINDOW (APPROX. 550mm HIGH PARAPET WALL)

UNLESS OTHERWISE INDICATED,
ALL WINDOWS WILL BE STANDARD HEIGHT WINDOWS

SCALE 0 2 4 6 8 10 METRES

THE COLOURED FLOOR PLAN IS NOT INTENDED TO
DEMARCATÉ THE BOUNDARY OF THE FLAT

GENERAL SPECIFICATIONS FOR LAKEVIEW CASCADIA

For 2-room Flexi (short lease)

Foundation

Piled foundations.

Structure

Reinforced concrete structural framework with reinforced concrete slabs.

Roof

Reinforced concrete roof slab with precast concrete secondary roofing.

Walls

All external and internal walls are constructed with reinforced concrete/ precast panels/ drywall partition system/ precast lightweight concrete partitions.

Windows

Aluminium framed windows with tinted glass.

Doors

Entrance	: laminated timber door and metal gate
Bedroom	: laminated UPVC sliding partition/ door, where applicable
Bathroom/ WC	: laminated UPVC door
Household Shelter	: metal door
Living/ Dining	: laminated UPVC door (optional)

Finishes

Living/ Dining/ Bedroom Floor	: vinyl strip flooring with laminated UPVC skirting (optional)
Kitchen/ Bathroom/ WC/ Household Shelter Floor	: glazed porcelain tiles
Kitchen/ Bathroom/ WC Walls	: glazed porcelain tiles
Ceilings/ Other Walls	: skim coated or plastered and painted

Fittings

Quality Locksets
 Water Closet Suite
 Clothes Drying Rack
 Grab Bars
 Wash basin with tap mixer, bath/ shower mixer with shower set (optional)
 Built-in kitchen cabinets with induction hob and cooker hood, kitchen sink and dish drying rack (optional)
 Built-in Wardrobe (optional)
 Window Grilles (optional)
 Water Heater (optional)
 Lighting (optional)

Services

Gas services and concealed water supply pipes
 Exposed sanitary stacks at Air-con ledge
 Concealed electrical wiring to lighting and power points (including water heater and air-conditioning points)
 Television points
 Data points

Important Notes

- 1) The Household Shelter is designed for use as civil defence shelter. The walls, ceiling, floor and door of the Household Shelter shall not be hacked, drilled, altered or removed.
- 2) Laminated UPVC door frame shall be provided to all Bedroom and Bathroom/ WC door openings.
- 3) Any unused or unoccupied open spaces in front of or nearby/ adjacent to the flat units are not available for purchase and the HDB will not entertain any request from the flat owners to purchase and/ or enclose the unused or unoccupied open spaces.
- 4) The details of services in a flat, e.g. gas pipes, water pipes, sanitary stacks, electrical wiring, television points, data points, etc. are not indicated on the plans.

You are advised to visit HDB's website at www.hdb.gov.sg for information on renovation rules.

GENERAL SPECIFICATIONS FOR LAKEVIEW CASCADIA

For 2-room Flexi, 4-room

Foundation

Piled foundations.

Structure

Reinforced concrete structural framework with reinforced concrete slabs.

Roof

Reinforced concrete roof slab with precast concrete secondary roofing.

Walls

All external and internal walls are constructed with reinforced concrete/ precast panels/ drywall partition system/ precast lightweight concrete partitions.

Windows

Aluminium framed windows with tinted glass.

Doors

Entrance	: laminated timber door and metal gate
Bedroom	: laminated UPVC door (optional)
	: laminated UPVC sliding partition / door for 2-room Flexi, where applicable
Bathroom/ WC	: laminated UPVC door (optional)
	: laminated UPVC door for 2-room Flexi
Household Shelter	: metal door
Service Yard	: aluminium framed door with glass

Finishes

Living/ Dining Floor	: polished porcelain tiles with laminated UPVC skirting (optional)
Bedroom Floor	: vinyl strip flooring with laminated UPVC skirting (optional)
Living/ Dining/ Bedroom Floor	: vinyl strip flooring with laminated UPVC skirting for 2-room Flexi (optional)
Kitchen/ Bathroom/ WC/ Household Shelter Floor	: glazed porcelain tiles
Service Yard Floor	: glazed porcelain tiles with tile skirting
Kitchen/ Bathroom/ WC Walls	: glazed porcelain tiles
Ceilings/ Other Walls	: skim coated or plastered and painted

Fittings

Quality Locksets
Water Closet Suite
Clothes Drying Rack
Wash basin with tap mixer, bath/ shower mixer with shower set (optional)

Services

Gas services and concealed water supply pipes
Exposed sanitary stacks (which can be located at Service Yard and/ or Air-con ledge)
Concealed electrical wiring to lighting and power points (including water heater and air-conditioning points)
Television points
Data points

Important Notes

- 1) The Household Shelter is designed for use as civil defence shelter. The walls, ceiling, floor and door of the Household Shelter shall not be hacked, drilled, altered or removed.
- 2) Laminated UPVC door frame shall be provided to all Bedroom and Bathroom/ WC door openings.
- 3) Any unused or unoccupied open spaces in front of or nearby/ adjacent to the flat units are not available for purchase and the HDB will not entertain any request from the flat owners to purchase and/ or enclose the unused or unoccupied open spaces.
- 4) The details of services in a flat, e.g. gas pipes, water pipes, sanitary stacks, electrical wiring, television points, data points, etc. are not indicated on the plans.

You are advised to visit HDB's website at www.hdb.gov.sg for information on renovation rules.

DISCLAIMER

- 1) HDB owns the copyright in all information, maps, and plans of this brochure.
- 2) The content provided in this brochure should be read in conjunction with the corresponding sales model of this development. All information provided in the brochure and sales model are not intended to form part of any offer or contract for the sale of flats. They are provided for your general information only and are not intended to be, or to be relied upon as, statements or representations of fact, offers or warranties (whether expressly or impliedly) by HDB. At no time should any reliance be placed on the contents of this brochure and information reflected in the corresponding sales model. Any such reliance shall be at the sole risk and discretion of the recipient.
- 3) Visual representations such as pictures, art renderings, depictions, illustrations, photographs, drawings, as well as other graphic representations and references are only artistic impressions. They are provided for your general information only, and are not representations of fact.
- 4) The information on this project, including but not limited to the dimensions, areas, plans, colour schemes, descriptions, and specifications, are subject to change or review without notice at our sole discretion or if required by the relevant authorities.
- 5) We may at any time, without any notice and at our sole discretion, change any aspect of this project, including but not limited to the omission, amalgamation, increase, or reduction of amenities and facilities, colour schemes, design features, and specifications.
- 6) We will not entertain any request for alteration of the layout or specifications of a flat to suit individual needs.
- 7) While reasonable care has been taken in providing the information in this brochure, we do not warrant its accuracy. We shall not be responsible in any way for any damage or loss suffered by any person whether directly or indirectly as a result of reliance on the said information or as a result of any error or omission therein.
- 8) The floor areas shown are scaled strata areas and are subject to final survey.
- 9) The surrounding land use and proposed facilities (including but not limited to their locations, form, massing and/or building heights) as shown in the maps and plans are subject to change and planning approval. They may include ancillary uses allowed under the Urban Redevelopment Authority's prevailing Development Control guidelines. Housing projects may be located near roads, railways, airbases, construction sites and land used for non-residential purposes including but not limited to industrial, commercial or utility uses. Hence, residents may experience related disamenities including but not limited to higher noise levels and smell nuisance. For any housing project affected by environmental issues relating to air, water, soil quality or ambient noise, HDB will carry out development in compliance with the prevailing regulatory requirements and/or recommendations by professional experts.
- 10) We reserve the right to use or allow the use of any:

• Void deck of any apartment block

• Car park;

• Common property (such as precinct pavilion); or

• Standalone community building,

for:

• Future amenities/ facilities (such as preschools, eldercare facilities, education centres, residents' network centres, and day activity centres);

• Commercial facilities (such as shops and eating houses);

• Mechanical and electrical rooms; and

• Such other facilities as we deem fit.
- 11) This brochure does not and is not intended to provide full and complete information of the guidelines or requirements of the relevant authorities. You are advised to approach the relevant authorities directly for full information and details of these guidelines and requirements.
- 12) Without prejudice to the generality of the above, please also refer to "Important Notes" on page 1.



**HOUSING &
DEVELOPMENT
BOARD**

Copyright © Housing & Development Board
All rights reserved. June 2026

OPTIONAL COMPONENT SCHEME

(2-ROOM FLEXI FLATS)

The Optional Component Scheme (OCS) provides convenience for flat buyers, and is offered on an opt-in basis. Choose the OCS items you want during your flat booking appointment. The cost of the OCS items will be added to the selling price of the booked flat.

All 2-room Flexi flats come with:

- Floor finishes in the bathroom, household shelter, and kitchen
- Wall tiles in the bathroom and kitchen
- Sliding partition/ door for bedroom
(Please refer to the floor plans under Layout Ideas)
- Bathroom door
- Water closet suite in the bathroom



Grab bars will be installed for all short-lease flats to assist seniors in moving around the flats

FOR ALL 2-ROOM FLEXI FLATS

PACKAGE 1

- Flooring in the living/ dining room and bedroom

PACKAGE 2

- Sanitary fittings, i.e. wash basin with tap mixer and shower set with bath/ shower mixer



Disclaimer: All displays and images shown here are strictly for reference only and are subject to change without notice. The displays and images shown here are conceptual and indicative only and the colour schemes, design, dimensions, type, tonal differences and specifications may differ from the actual fittings installed in the flat.

Jun 2026 OCS1

OPTIONAL COMPONENT SCHEME

(2-ROOM FLEXI FLATS)


PACKAGE 3

offers seniors the convenience of having a flat in move-in condition. It comprises:

SENIOR-FRIENDLY FITTINGS



- Built-in kitchen cabinets with induction hob and cooker hood, kitchen sink, tap, and drying rack.



Here are some features of an induction hob:


- It does not produce an open flame
- Its cooking zone cools down faster
- It is easier to clean than a gas hob
- As it has a flat surface, pots placed on an induction hob are less likely to topple over.

With these features, the use of the induction hob would promote a safer and cleaner environment.



- Kitchen cabinets come with mobile cabinets to provide knee space (especially for wheelchair users)
- Built-in bedroom wardrobe with a lower clothes hanging rod for easy reach

- An option to have a lower countertop height



- Door at the flexible space in the 2-room Flexi (Type 2) flats

OTHER FITTINGS



- Window grilles for safety and security



- Mirror



- Toilet roll holder



- Lighting



- Water heater

Buyers who opt for Package 3 must select Package 1.

Disclaimer: All displays and images shown here are strictly for reference only and are subject to change without notice. The displays and images shown here are conceptual and indicative only and the colour schemes, design, dimensions, type, tonal differences and specifications may differ from the actual fittings installed in the flat.

OPTIONAL COMPONENT SCHEME

(3-ROOM AND BIGGER FLATS)

The Optional Component Scheme (OCS) provides convenience for flat buyers, and is offered on an opt-in basis. Choose the OCS items you want during your flat booking appointment. The cost of the OCS items will be added to the selling price of the booked flat.

These flats come with:

- Floor finishes in the:
 - Bathrooms
 - Household shelter
 - Kitchen/ utility (3-room)
 - Kitchen and service yard (4-room and bigger flats)
- Wall tiles in the:
 - Bathrooms
 - Kitchen/ utility (3-room)
 - Kitchen (4-room and bigger flats)
- Water closet suite in each bathroom

YOU CAN CHOOSE TO HAVE THE FOLLOWING ITEMS INSTALLED IN YOUR BOOKED FLAT:

- Floor finishes in the:
 - Living/ dining room
 - Bedrooms
 - Dry kitchen and balcony (if applicable)
- Internal Doors + sanitary fittings
 - Wash basin with tap mixer
 - Shower set with bath/ shower mixer



Wash basin with tap mixer in attached bathroom



Wash basin with tap mixer



Handheld shower set with bath/ shower mixer

Disclaimer: All displays and images shown here are strictly for reference only and are subject to change without notice. The displays and images shown here are conceptual and indicative only and the colour schemes, design, dimensions, type, tonal differences and specifications may differ from the actual fittings installed in the flat.